

Back Bar Cooler

HKN-GBB2460

HKN-GBB2460G

HKN-GBB2460GSE



HURAKAN

Item #: _____ Project: _____

Qty: _____ Date: _____ Approval: _____



Features

- 1 Countertop with stainless steel interior and black coated steel exterior
- 2 LED interior lighting
- 3 Temperature controls featuring auto-defrost function

Technical Data

Width	60 3/4 Inches
Depth	24 3/8 Inches
Height	35 5/8 Inches
Power Cord Length	110 Inches
Interior Width	48 1/5 Inches
Left Door Opening Width	60 3/4 Inches
Packaging Width	60 4/5 Inches
Right Door Opening Width	60 3/4 Inches
Shelf Width	23 3/5 Inches
Interior Depth	18 1/2 Inches



ETL, US



5-15P



ETL Sanitation

Instructions and images in this manual are only for reference and may differ from the actual product. Launch the E-Manual.



Technical Data

Packaging Depth	27 3/5 Inches
Shelf Depth	18 Inches
Interior Height	30 1/2 Inches
Packaging Height	41 3/4 Inches
Amps	2.88
Hertz	60 Hertz
Phase	1 Phase
Voltage	115 Volts
Access Type	Doors
BTU (LBP)	974 BTU
Capacity	(3) 1/2 Kegs / 14.8 cu.ft.
Casters	With Casters
Compressor Location	Side Mounted
Countertop Type	Stainless Steel
Door Style	
Door Type	
Plug Type	NEMA 5-15P
Horsepower	1/5
Exterior Finish	Black Automatic defrost Digital Temperature Controller LED Lighting Removable Magnetic Door Gaskets Black Coated Steel / Stainless Steel
Individual Shelf Capacity	88 lb.
Maximum Ambient Temperature	90 Degrees F
Net Weight	275 lb.
Number of Doors	2
Number of Kegs	3 Kegs
Number of Shelves	4
Refrigerant Capacity	2.47 oz.
Refrigerant Type	R290
Shelf Material	PVC coated shelves
Temperature Range	33 - 40 Degrees F
Top Type	Prep Refrigeration



HURAKAN

Plan View

