HURAKAN
COMMERCIAL KITCHEN EQUIPMENT

Data Sheet 2026
HKN-SPT27R1C

SANDWICH
Prep Table

HKN-SPT27R1C
Sandwich Prep Table



33 to 40°F	8	R290	6.1 cu.ft.
TEMPERATURE RANGE	1/6 + 1/9 PANS	REFRIGERANT	CAPACITY

FEATURES

- Refrigerated prep top for 6 × 1/6 and 2 × 1/9-size pans with cutting board.
- Ventilated cooling with automatic defrost holds 33–40°F.
- SUS304 interior, SUS201 exterior; 4 casters, 2 with brake.

TECHNICAL DATA

Width	27 Inches
Depth	29.5 Inches
Height	42.73 Inches
Capacity	6.1 cu.ft.
Doors	1
Door Type	Solid
Pan Capacity	6 × 1/6 + 2 × 1/9 Size
Temperature Range	33 - 40 Degrees F

2026 Hurakan


Technical Data


Field	Value
Model	HKN-SPT27R1C
Access Type	Door
Width	27 Inches
Depth	29.5 Inches
Height	42.73 Inches
Capacity	6.1 cu.ft. (173 L)
Electrical	115 V / 60 Hz / 1 Ph
Prep Table Type	Refrigerated Sandwich / Salad
Number of Doors	1
Door Type	Solid
Features	Cutting board, internal round corners
Number of Shelves	1 (adjustable, PVC-coated)
Pan Capacity	6 × 1/6 + 2 × 1/9 Size
Installation type	Freestanding, 4 casters (2 with brake)
Controller	Intelligent digital controller
Cooling System	Ventilated, automatic defrost, back-mounted
Refrigerant Type	R290
Exterior	SUS201 Stainless Steel
Interior	SUS304 Stainless Steel
Ambient Conditions	Up to 100°F (38°C), 60% RH
Temperature Range	33 - 40 Degrees F

Data prepared by HURAKAN USA

2026 Hurakan

Plan View





DRAWING NOTES

Drawing dimensions are shown in inches (mm).
Overall height with casters: 42.73" (1085 mm).
Work surface height: 33.08" (840 mm).

Intertek
ETL
Sanitation

Intertek
ETL, US
Electrical
Safety

5-15P
NEMA 5-15P
Plug Type

2026 Hurakan