SANDWICH
Prep Table

HKN-SPT28R1S
Refrigerated Sandwich Prep Table



33 to 41°F	8	R290	7.6 cu.ft.
TEMPERATURE RANGE	1/6 PANS	REFRIGERANT	CAPACITY

FEATURES

- Refrigerated prep top for 8 × 1/6-size pans with cutting board.
- Ventilated cooling with EBM fans and automatic defrost holds 33–41°F.
- SS430 stainless exterior, self-closing door with lock, casters with brakes.

TECHNICAL DATA

Width	28.9 Inches
Depth	31.5 Inches
Height	43 Inches
Capacity	7.6 cu.ft.
Doors	1
Door Type	Solid
Pan Capacity	8 × 1/6 Size
Temperature Range	33 - 41 Degrees F

2026 Hurakan


Technical Data


Field	Value
Model	HKN-SPT28R1S
Access Type	Doors
Width	28.9 Inches
Depth	31.5 Inches
Height	43 Inches
Capacity	7.6 cu.ft. (215 L)
Electrical	115 V / 60 Hz / 1 Ph, 2.9 A, NEMA 5-15P
Prep Table Type	Refrigerated Sandwich / Salad
Number of Doors	1
Door Type	Solid, self-closing, reversible
Features	Lock and key, cutting board
Number of Shelves	1
Pan Capacity	8 × 1/6 Size
Installation type	Freestanding, casters with brakes
Controller	Digital (Dixell or CAREL)
Cooling System	Ventilated, automatic defrost
Refrigerant Type	R290
Exterior	SS430 Stainless Steel
Interior	Pre-coated Aluminum
Packing Dimensions	30.8 × 33.3 × 48.2 Inches
Temperature Range	33 - 41 Degrees F


Data prepared by HURAKAN USA


2026 Hurakan

Plan View









DRAWING NOTES

Drawing dimensions are shown in mm (inches).
Drawings are provided for reference only.
Specifications are subject to change without notice.
Confirm installation clearances before setup.

Intertek
ETL Sanitation

Intertek
ETL, US Electrical Safety

5-15P
NEMA 5-15P Plug Type

Data prepared by: HURAKAN USA

2026 Hurakan