

Sandwich and Salad Prep Tables HKN-SPT48R2C

 Item #: _____HKN-SPT48R2C
 Project: ______

 Qty: ______
 Date: ______
 Approval: _____



Features

- Stainless steel construction with self-closing doors.
- Electronic control for temperature adjustment and food safety.
- Adjustable shelves and pre-installed heavyduty casters.

Technical Data

Width	47 1/4 Inches
Depth	29 1/2 Inches
Height	42 3/8 Inches
Power Cord Length	98.4 Inches
Cutting Board Width	27 1/2 Inches
Interior Width	43 Inches
Right Door Opening Width	19 4/8 Inches
Cutting Board Depth	10 4/8 Inches
Interior Depth	19 7/8 Inches



ETL, US



ETL Sanitation

Instructions and images in this manual are only for reference and may differ from the actual product. Launch the E-Manual.

www.equip.me





Technical Data

Height with Lid Open	46 4/8 Inches
Interior Height	23 4/8 Inches
Work Surface Height	35 1/4 Inches
Amps	4.56
Hertz	60 Hertz
Phase	1 Phase
Voltage	115 Volts
1/6 Size Pan Capacity	12 Pans
1/9 Size Pan Capacity	
Access Type	Doors NUT70NR1
BTU (LBP)	1365 BTU
Capacity	11.4 cu.ft.
Casters	yes
Compressor Location	Rear Mounted
Compressor Style	Side / Rear Breathing
Construction	Stainless Steel and Aluminum
Door Style	Swing
Door Type	Solid
Hinge Location	left+right
Horsepower	
Individual Shelf Capacity	88 lb.
Number of Doors	2 Doors
Number of Shelves	2 Shelf
Plug Type	NEMA 5-15P
Refrigerant Capacity	3.9 oz.
Refrigerant Type	R290
Refrigeration Type	Air Cooled
Temperature Range	33 - 41 Degrees F
Туре	Prep Refrigeration

www.equip.me

Plan View





www.equip.me