HURAKAN
COMMERCIAL KITCHEN EQUIPMENT

Data Sheet 2026
HKN-GXE47R2ES

REACH-IN Refrigerator

HKN-GXE47R2ES
Two Solid Door Reach-In Refrigerator



33 to 41°F	LED	R290	46 cu.ft.
TEMPERATURE RANGE	LIGHTING	REFRIGERANT	CAPACITY

FEATURES

- SS430 stainless steel exterior, pre-coated aluminum interior with curved corners.
- Reversible self-closing doors, lock and key, tool-free magnetic gaskets.
- Ventilated cooling, Cubigel compressor, Dixell digital controller, LED light.

TECHNICAL DATA

Width	54.1 Inches
Depth	32.1 Inches
Height	83.1 Inches
Capacity	46 cu.ft.
Doors	2 Solid, Self-Closing
Shelves	6
Cooling System	Ventilated
Temperature Range	33 - 41 Degrees F

2026 Hurakan


Technical Data

Field	Value
Model	HKN-GXE47R2ES
Access Type	Front, Solid Door
Width	54.1 Inches
Depth	32.1 Inches
Height	83.1 Inches
Capacity	46 cu.ft.
Number of Doors	2
Number of Shelves	6
Door Type	Solid, Reversible, Self-Closing
Exterior	Stainless Steel SS430
Interior	Pre-Coated Aluminum
Door Lock	Lock and Key
Cooling System	Ventilated
Installation type	Self-Contained (Plug-In)
Compressor	Cubigel
Controller	Digital (Dixell)
Refrigerant Type	R290
Lighting	Internal LED
Voltage	115 V / 60 Hz / 1 Ph
Door Gaskets	Magnetic, Removable
Certifications	ETL, ETL Sanitation
Temperature Range	33 - 41 Degrees F
Packing Dimensions	55.6 x 35 x 86.1 Inches
40' Container Loading	21 pcs

Data prepared by HURAKAN USA

2026 Hurakan

Plan View



DRAWING NOTES

All dimensions are shown in inches.
Drawings are provided for reference only.
Specifications are subject to change without notice.
Confirm installation clearances before setup.

Intertek
ETL
Sanitation

Intertek
ETL, US
Electrical
Safety

Data prepared by HURAKAN USA

2026 Hurakan