HURAKAN
COMMERCIAL KITCHEN EQUIPMENT

Data Sheet 2026

HKN-GXE72F3E

REACH-IN
Freezer



-8–0°F	3	R290	72 cu. ft.
TEMPERATURE RANGE	DOORS	REFRIGERANT	CAPACITY

FEATURES

- SUS430 stainless steel exterior, SUS304 stainless steel interior.
- Automatic defrost, electronic temperature control.
- Bottom-mounted compressor, R290 refrigerant, 1 1/4 HP.
- Nine adjustable plastic-coated steel shelves.
- Solid swing doors.
- 6 casters (5").

TECHNICAL DATA

Width	80.9"
Depth	32.2"
Height	82.5"
Capacity	72 cu. ft. / 2040 L
Number of Doors	3
Number of Shelves	9
Cooling System	Automatic defrost
Temperature Range	-8 - 0 Degrees F

2026 Hurakan

Technical Data

Field	Value
Model	HKN-GXE72F3E
Item Name	Reach-In Freezer
Width	80.9"
Depth	32.2"
Height	82.5"
Capacity	72 cu. ft. / 2040 L
Number of Doors	3
Number of Shelves	9 (adjustable, plastic-coated, 88 lb each)
Cooling System	Automatic defrost
Temperature Range	-8 - 0 Degrees F
Refrigerant	R290 (4.9 oz), 1 1/4 HP, bottom-mounted
Doors	Solid, swing
Interior Size	76.3" W × 27.1" D × 51.6" H
Controller	Electronic control panel
Exterior Material	SUS430 Stainless Steel
Interior Material	SUS304 Stainless Steel
Electrical	115 V / 60 Hz / 1 Ph, 12 A, cord 98.4"


Notes & Details

The HURAKAN HKN-GXE72F3E offers 72 cu. ft. (2040 L) of frozen storage in an 80.9″-wide three-door reach-in cabinet. Interior dimensions: 76.3″ W × 27.1″ D × 51.6″ H. Maximum ambient temperature: 100°F (38°C). Requires a dedicated NEMA 5-20P circuit. Casters: 6 (5″).

Data prepared by HURAKAN USA

2026 Hurakan

Plan View



DRAWING NOTES

All dimensions are shown in inches.
Overall height with casters: 82 1/2".
Specifications are subject to change without notice.

Intertek
ETL Sanitation

Intertek
ETL, US Electrical Safety

NEMA 5-20P Plug Type

Data prepared by HURAKAN USA

2026 Hurakan